



**NSAI**  
Standards

Irish Standard  
I.S. EN 60255-151:2009

# Measuring relays and protection equipment -- Part 151: Functional requirements for over/under current protection (IEC 60255-151:2009 (EQV))

© NSAI 2009 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 60255-151:2009

*Incorporating amendments/corrigenda issued since publication:*

This is a free 11 page sample. Access the full version online.

<i>This document replaces:</i> EN 60255-3:1998	<i>This document is based on:</i> EN 60255-151:2009 EN 60255-3:1998	<i>Published:</i> 23 October, 2009 2 February, 2006
---	---	---

This document was published under the authority of the NSAI and comes into effect on:  20 November, 2009	ICS number: 29.120.70
--	--------------------------

<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	<b>Sales:</b> T +353 1 857 6730 F +353 1 857 6729 W standards.ie
---	--	---

Údarás um Chaighdeáin Náisiúnta na hÉireann

English version

**Measuring relays and protection equipment -  
Part 151: Functional requirements  
for over/under current protection  
(IEC 60255-151:2009)**

Relais de mesure  
et dispositifs de protection -  
Partie 151: Exigences fonctionnelles  
pour les protections à maximum  
et minimum de courant  
(CEI 60255-151:2009)

Messrelais und Schutzeinrichtungen -  
Teil 151: Funktionsanforderungen  
für Über-/Unterstromschutz  
(IEC 60255-151:2009)

This European Standard was approved by CENELEC on 2009-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Central Secretariat: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 95/255/FDIS, future edition 1 of IEC 60255-151, prepared by IEC TC 95, Measuring relays and protection equipment, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60255-151 on 2009-09-01.

This European Standard supersedes EN 60255-3:1998 + corrigendum January 1998.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2010-06-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2012-09-01

Annex ZA has been added by CENELEC.

---

## Endorsement notice

The text of the International Standard IEC 60255-151:2009 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60044	NOTE	Harmonized in EN 60044 series (partially modified).
IEC 60255-8	NOTE	Harmonized as EN 60255-8:1998 (modified).
IEC 61850	NOTE	Harmonized in EN 61850 series (not modified).
IEC 61850-7-4	NOTE	Harmonized as EN 61850-7-4:2003 (not modified).

---

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-447	200X <sup>1)</sup>	International Electrotechnical Vocabulary - Part 447: Measuring relays	-	-
IEC 60255-1	- <sup>2)</sup>	Measuring relays and protection equipment - Part 1: Common requirements	EN 60255-1	200X <sup>3)</sup>

---

<sup>1)</sup> To be published.

<sup>2)</sup> Undated reference.

<sup>3)</sup> To be ratified.

*This page is intentionally left BLANK.*

## CONTENTS

FOREWORD.....	4
1 Scope and object.....	6
2 Normative references .....	6
3 Terms and definitions .....	6
4 Specification of the function.....	8
4.1 General .....	8
4.2 Input Energizing quantities / energizing quantities .....	8
4.3 Binary input signals .....	9
4.4 Functional logic .....	9
4.4.1 Operating characteristics .....	9
4.4.2 Reset characteristics .....	12
4.5 Binary output signals .....	16
4.5.1 Start (pick-up) signal .....	16
4.5.2 Operate (trip) signal.....	16
4.5.3 Other binary output signals.....	16
4.6 Additional influencing functions/conditions .....	16
4.7 Specific characteristics.....	16
5 Performance specification .....	17
5.1 Accuracy related to the characteristic quantity.....	17
5.2 Accuracy related to the operate time .....	18
5.3 Accuracy related to the reset time .....	18
5.4 Transient performance .....	19
5.4.1 Transient overreach.....	19
5.4.2 Overshoot time .....	19
5.4.3 Response to time varying value of the characteristic quantity .....	19
5.5 Current transformer requirements.....	19
6 Functional test methodology.....	20
6.1 General.....	20
6.2 Determination of steady state errors related to the characteristic quantity .....	20
6.2.1 Accuracy of setting (start) value .....	20
6.2.2 Reset ratio determination.....	22
6.3 Determination of steady state errors related to the start and operate time .....	23
6.4 Determination of steady state errors related to the reset time .....	23
6.5 Determination of transient performance .....	24
6.5.1 General .....	24
6.5.2 Transient overreach.....	24
6.5.3 Overshoot time .....	25
6.5.4 Response to time varying value of the characteristic quantity for dependent time relays .....	26
7 Documentation requirements .....	27
7.1 Type test report.....	27
7.2 Other user documentation .....	27
Annex A (normative) Constants for dependent time operating and reset characteristics .....	29
Annex B (informative) Reset time determination for relays with trip output only.....	30
Bibliography.....	31

Figure 1 – Simplified protection function block diagram..... 8

Figure 2 – Overcurrent independent time characteristic ..... 10

Figure 3 – Undercurrent independent time characteristic ..... 10

Figure 4 – Dependent time characteristic ..... 11

Figure 5 – Definite time reset characteristic ..... 13

Figure 6 – Definite time reset characteristic (alternative solution with instantaneous reset after relay operation)..... 14

Figure 7 – Dependent time reset characteristic ..... 15

Figure 8 – Dependent time reset characteristic (alternative solution with instantaneous reset after relay operation)..... 16

Figure 9 – Voltage restrained characteristics ..... 17

Figure 10 – Voltage controlled characteristics ..... 17

Figure 11 – Typical test waveform for transient overreach ..... 25

Figure 12 – Test waveform ..... 26

Figure B.1 – Dependent reset time determination ..... 30

  

Table 1 – Multiplier factor on operated time assigned error ..... 18

Table 2 – Multiplier factor on reset time assigned error ..... 19

Table 3 – Test points for overcurrent elements ..... 23

Table 4 – Test points for undercurrent elements ..... 23

Table 5 – Test points for overcurrent elements ..... 24

Table 6 – Test points for undercurrent elements ..... 24

Table 7 – Recommended values for the test ..... 26

Table A.1 – Constants for dependent time operating and reset characteristics ..... 29

This is a free 11 page sample. Access the full version online.



## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MEASURING RELAYS AND PROTECTION EQUIPMENT –****Part 151: Functional requirements for over/under current protection**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60255-151 has been prepared by IEC technical committee 95: Measuring relays and protection equipment.

This first edition cancels and replaces IEC 60255-3, published in 1989.

The text of this standard is based on the following documents:

FDIS	Report on voting
95/255/FDIS	95/258/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60255 series, published under the general title *Measuring relays and protection equipment*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition; or
- amended.

## MEASURING RELAYS AND PROTECTION EQUIPMENT –

### Part 151: Functional requirements for over/under current protection

#### 1 Scope and object

This part of IEC 60255 specifies minimum requirements for over/under current relays. This standard includes a specification of the protection function, measurement characteristics and time delay characteristics.

This part of IEC 60255 defines the influencing factors that affect the accuracy under steady state conditions and performance characteristics during dynamic conditions. The test methodologies for verifying performance characteristics and accuracy are also included in this standard.

The over/under current functions covered by this standard are the following:

	IEEE/ANSI C37.2 Function Numbers	IEC 61850-7-4 Logical nodes
Instantaneous phase overcurrent protection	50	PIOC
Time delayed phase overcurrent protection	51	PTOC
Instantaneous earth fault protection	50N/50G	PIOC
Time delayed earth fault protection	51N/51G	PTOC
Negative sequence overcurrent or current unbalance protection	46	PTOC
Phase undercurrent protection	37	PTUC
Voltage-dependent overcurrent protection	51V	PVOC

This standard excludes thermal electrical relays as specified in IEC 60255-8. General requirements for measuring relays and protection equipment are specified in IEC 60255-1.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-447, *International Electrotechnical Vocabulary – Part 447: Measuring relays*

IEC 60255-1, *Measuring relays and protection equipment – Part 1: Common requirements*

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

##### 3.1

##### **theoretical curve of time versus characteristic quantity**

curve which represents the relationship between the theoretical specified operate time and the characteristic quantity

This is a free preview. Purchase the entire publication at the link below:

**I.S. EN 60255-151 : 2009 : EN : COMBINED PDF**

- 
- ⤵ Looking for additional Standards? Visit SAI Global Infostore
  - ⤵ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
- 

Need to speak with a Customer Service Representative - Contact Us