



NSAI
Standards

Standard Recommendation
S.R. CLC/TS 60034-31:2011

Rotating electrical machines -- Part 31:
Selection of energy-efficient motors
including variable speed applications -
Application guide (IEC/TS 60034
-31:2010 (EQV))

© NSAI 2011 No copying without NSAI permission except as permitted by copyright law.

S.R. CLC/TS 60034-31:2011

Incorporating amendments/corrigenda issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

<i>This document replaces:</i>	<i>This document is based on:</i> CLC/TS 60034-31:2011	<i>Published:</i> 25 February, 2011
This document was published under the authority of the NSAI and comes into effect on: 2 March, 2011		ICS number: 29.160
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie
Údarás um Chaighdeán Náisiúnta na hÉireann		

**Rotating electrical machines -
Part 31: Selection of energy-efficient motors including variable speed
applications -
Application guide
(IEC/TS 60034-31:2010)**

Machines électriques tournantes -
Partie 31: Choix des moteurs
éconergétiques incluant les applications à
vitesse variable -
Guide d'application
(CEI/TS 60034-31:2010)

Drehende elektrische Maschinen -
Teil 31: Auswahl von Energiesparmotoren
einschließlich Drehzahlstantrieben -
Anwendungsleitfaden
(IEC/TS 60034-31:2010)

This Technical Specification was approved by CENELEC on 2011-02-21.

CENELEC members are required to announce the existence of this TS in the same way as for an EN and to make the TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of the Technical Specification IEC/TS 60034-31:2010, prepared by IEC TC 2, Rotating machinery, was submitted to the formal vote and was approved by CENELEC as CLC/TS 60034-31 on 2011-02-21.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following date was fixed:

- latest date by which the existence of the CLC/TS
has to be announced at national level (doa) 2011-08-21

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the Technical Specification IEC/TS 60034-31:2010 was approved by CENELEC as a Technical Specification without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60034-2-1:2007	NOTE	Harmonized as EN 60034-2-1:2007 (not modified).
IEC 60034-12	NOTE	Harmonized as EN 60034-12.
IEC/TS 60034-17	NOTE	Harmonized as CLC/TS 60034-17.
IEC/TS 60034-25	NOTE	Harmonized as CLC/TS 60034-25.
IEC 60034-26	NOTE	Harmonized as EN 60034-26.
IEC 60079-0	NOTE	Harmonized as EN 60079-0.
IEC 60300-3-3	NOTE	Harmonized as EN 60300-3-3.
IEC 61241-1	NOTE	Harmonized as EN 61241-1.
IEC 61800-2	NOTE	Harmonized as EN 61800-2.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60034-1 (mod)	-	Rotating electrical machines - Part 1: Rating and performance	EN 60034-1	-
IEC 60034-30	-	Rotating electrical machines - Part 30: Efficiency classes of single-speed, three-phase, cage-induction motors (IE code)	EN 60034-30	-

This is a free 13 page sample. Access the full version online.

This page is intentionally left BLANK.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	8
3 Terms, definitions and symbols.....	8
3.1 Terms and definitions.....	8
3.2 Symbols.....	8
4 General.....	9
5 Efficiency.....	10
5.1 General.....	10
5.2 Motor losses.....	11
5.3 Additional motor-losses when operated on a frequency converter.....	12
5.4 Motors for higher efficiency classes.....	12
5.5 Variations in motor losses.....	13
5.6 Part load efficiency.....	14
5.7 Efficiency testing methods.....	15
5.8 Power factor (see Figure 4).....	16
5.9 Matching motors and variable frequency converters.....	17
5.10 Motors rated for 50 Hz and 60 Hz.....	18
5.11 Motors rated for different voltages or a voltage range.....	20
5.12 Motors rated for operation at frequencies other than 50/60 Hz.....	20
5.13 Variable frequency converter efficiency.....	20
5.14 Frequency converter power factor.....	22
6 Environment.....	22
6.1 Starting performance.....	22
6.2 Operating speed and slip.....	23
6.3 Effects of power quality and variation in voltage and frequency.....	23
6.4 Effects of voltage unbalance.....	23
6.5 Effects of ambient temperature.....	24
7 Applications.....	24
7.1 General.....	24
7.2 Energy savings by speed control (variable speed drives, VSD).....	24
7.3 Correct sizing of the motor.....	24
7.4 Continuous duty application.....	25
7.5 Applications involving extended periods of light load operations.....	25
7.6 Applications involving overhauling loads.....	26
7.7 Applications where load-torque is increasing with speed (pumps, fans, compressors, etc.).....	26
7.8 Applications involving frequent starts and stops and/or mechanical braking.....	27
7.9 Applications involving explosive gas or dust atmospheres.....	27
8 Economy.....	28
8.1 Relevance to users.....	28
8.2 Initial purchase cost.....	28
8.3 Operating cost.....	29
8.4 Rewinding cost.....	30
8.5 Payback time.....	31

8.6	Life cycle cost	31
9	Maintenance.....	32
	Annex A (informative) Super-premium efficiency (IE4)	34
	Bibliography.....	40
	Figure 1 – Overview of different areas for savings of electrical energy with drive systems	9
	Figure 2 – Typical losses of energy-efficient motors, converters and electro-mechanical brakes	10
	Figure 3 – Typical efficiency versus load curve bands for three-phase, cage-induction motors of different output power ranges (approximately 1,1 kW, 15 kW and 150 kW).....	14
	Figure 4 – Typical power factor versus load curve bands for three-phase, cage-induction motors of different output power ranges (approximately 1,1 kW, 15 kW and 150 kW).....	16
	Figure 5 – Typical reduction of energy efficiency in %-points for 4-pole, low-voltage motors between 50 Hz and 60 Hz when compared at the same torque (60 Hz power 20 % increased).....	19
	Figure 6 – Typical reduction of energy efficiency in %-points for 4-pole, low-voltage motors between 50 Hz and 60 Hz when compared at the same output power (60 Hz torque 20 % reduced)	19
	Figure 7 – Typical efficiency of indirect three-phase voltage source type converters with a passive front-end for typical load points of pumps, fans and compressors	20
	Figure 8 – Typical efficiency of indirect three-phase voltage source type converters with a passive front-end for typical load points of constant torque.....	21
	Figure 9 – Typical variations of current, speed, power factor and efficiency with voltage for constant output power	23
	Figure 10 – Potential energy savings by improvement of efficiency classes for motors running at rated load.....	25
	Figure 11 – Typical torque versus speed curves for 11 kW, 4-pole, three-phase, cage-induction motors and load versus speed curves for speed-square-loads	26
	Figure 12 – 11 kW IE3 motor operated at full load, 4 000 operating hours per year, 15 years life cycle.....	28
	Figure 13 – Example of a load factor graph: fraction of annual operating hours	29
	Figure 14 – Life cycle cost analysis of an 11 kW motor operating at full load	32
	Figure A.1 – IE4 efficiency limits.....	39
	Table 1 – Loss distribution in three-phase, 4-pole, cage-induction electric motors	12
	Table 2 – Exemplary efficiency calculation of a motor when operated at 50 Hz and 60 Hz with the same torque, using a 50 Hz motor rating as the basis.....	18
	Table 3 – Loss distribution for low-voltage U-converters	21
	Table 4 – Example of changing of efficiency, speed and torque demand with energy efficiency class of three 11 kW, 50 Hz motors in the same application	27
	Table 5 – Average lifecycles for electric motors	30
	Table A.1 – Interpolation coefficients	35
	Table A.2 – Nominal limits (%) for super-premium efficiency (IE4)	35
	Table A.3 – Standard power in kW associated with torque and speed for line-operated motors	36
	Table A.4 – Nominal limits for super-premium efficiency (IE4) for 50 Hz line operated motors	37

Table A.5 – Nominal limits for super-premium efficiency (IE4) for 60 Hz line operated
motors 38

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ROTATING ELECTRICAL MACHINES –
**Part 31: Selection of energy-efficient motors including
variable speed applications – Application guide**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 60034-31, which is a technical specification, has been prepared by IEC technical committee 2: Rotating machinery.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
2/1575/DTS	2/1594/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60034 series, published under the general title *Rotating electrical machines*, can be found on the IEC website.

NOTE A table of cross-references of all IEC TC 2 publications can be found in the IEC TC 2 dashboard on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The present technical specification gives technical guidelines for the application of energy-efficient motors in constant-speed and variable speed applications. It does not cover aspects of a purely commercial nature.

Standards developed by IEC technical committee 2 do not deal with methods of how to obtain a high efficiency but with tests to verify the guaranteed value. IEC 60034-2-1 is the most important standard for this purpose.

For approximately 15 years regional agreements were negotiated in many areas of the world regarding efficiency classes of three-phase, cage-induction motors with outputs up to about 200 kW maximum, as motors of this size are installed in high quantities and are for the most part produced in series production. The design of these motors is often driven by the market demand for low investment cost, hence energy efficiency was not a top priority.

In IEC 60034-30, IE efficiency classes for single-speed cage-induction motors have been defined and test procedures specified:

IE1	Standard efficiency
IE2	High efficiency
IE3	Premium efficiency
IE4	Super-premium efficiency

Determination of efficiency for motors powered by a frequency converter will be included in IEC standard 60034-2-3.

However, for motors rated 1 MW and above, which are usually custom made, a high efficiency has always been one of the most important design goals. The full-load efficiency of these machines typically ranges between 95 % and 98 %. Efficiency is usually part of the purchase contract and is penalized if the guaranteed values are not met. Therefore, these higher ratings are of secondary importance when assigning efficiency classes.

With permission from the National Electrical Manufacturers Association (NEMA), some parts of this TS are based on NEMA MG 10, *Energy Management Guide For Selection and Use of Fixed Frequency Medium AC Squirrel-Cage Polyphase Induction Motors*.

ROTATING ELECTRICAL MACHINES –

Part 31: Selection of energy-efficient motors including variable speed applications – Application guide

1 Scope

This part of IEC 60034 provides a guideline of technical aspects for the application of energy-efficient, three-phase, electric motors. It not only applies to motor manufacturers, OEMs (original equipment manufacturers), end users, regulators and legislators but to all other interested parties.

This technical specification is applicable to all electrical machines covered by IEC 60034-30. Most of the information however is also relevant for cage-induction machines with output powers exceeding 375 kW.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-30, *Rotating electrical machines – Part 30: Efficiency classes of single-speed three-phase, cage induction motors (IE-code)*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60034-1 and in IEC 60034-30 apply.

3.2 Symbols

η_n is the nominal efficiency, %

η_N is the rated efficiency, %

f_N is the rated frequency, Hz

n_N is the rated speed, min^{-1}

P_N is the rated output power, kW

T_N is the rated output torque, Nm

U_N is the rated voltage, V

This is a free preview. Purchase the entire publication at the link below:

SR CLC/TS 60034-31 : 2011 : EN : COMBINED PDF

-
- ⤵ Looking for additional Standards? Visit SAI Global Infostore
 - ⤵ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-

Need to speak with a Customer Service Representative - Contact Us