



**NSAI**  
Standards

Irish Standard  
I.S. EN 50598-1:2014

Ecodesign for power drive systems, motor starters, power electronics & their driven applications - Part 1: General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA), and semi analytic model (SAM)

© CENELEC 2015 No copying without NSAI permission except as permitted by copyright law.

**I.S. EN 50598-1:2014**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN 50598-1:2014

*Published:*

2014-12-19

*This document was published under the authority of the NSAI and comes into effect on:*

2015-01-21

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

ICS 29.160.30

English Version

**Ecodesign for power drive systems, motor starters, power electronics & their driven applications - Part 1: General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA), and semi analytic model (SAM)**

Ecoconception des entraînements électriques de puissance, des démarreurs de moteur, de l'électronique de puissance et de leurs applications entraînées - Partie 1: Exigences générales pour définir les normes d'efficacité énergétique d'un équipement entraîné via l'approche produit étendu (EPA) et par le modèle semi-analytique (SAM)

Ökodesign für Antriebssysteme, Motorstarter, Leistungselektronik und deren angetriebene Einrichtungen - Teil 1: Allgemeine Anforderungen zur Erstellung von Normen zur Energieeffizienz von Ausrüstungen mit Elektroantrieb nach dem erweiterten Produktansatz (EPA) mit semi-analytischen Modellen (SAM)

This European Standard was approved by CENELEC on 2014-11-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**Contents**

Page

Foreword.....	3
1 Scope .....	6
2 Normative references .....	6
3 Terms, definitions, symbols, units and abbreviated terms .....	6
4 Requirements for the development of energy efficiency standards for extended products .....	9
4.1 General .....	9
4.2 Responsibility of the driven equipment technical committee .....	10
4.3 Elements included in the extended product approach .....	10
5 Requirements for the semi analytical model (SAM) of the extended product .....	11
5.1 General .....	11
5.2 Torque/Power versus speed profiles .....	12
5.3 Operating points over time .....	13
6 Requirements for the semi analytical model (SAM) of the motor system .....	14
6.1 General .....	14
6.2 Speed versus torque loss points of a PDS and the associated power losses .....	15
6.3 Requirements if the motor system contains no CDM .....	15
7 Merging the semi analytical models (SAMs) to the extended product approach .....	16
7.1 General .....	16
7.2 Speed versus torque loss points of a motor system .....	17
7.3 How to determine intermediate speed versus torque loss points of a motor system .....	17
7.3.1 General .....	17
7.3.2 Determination of intermediate relative losses for speed versus torque operating points of a motor system .....	17
7.3.3 Loss determination by maximum losses of neighboured loss points .....	18
7.3.4 Loss determination by two-dimensional interpolation of losses of neighboured loss points .....	18
Annex A (informative) Example how to apply the SAM in the EPA for pump systems with a required speed versus torque loss points using the PDS .....	20
Annex B (informative) General calculation of the energy consumption based on the duty profile .....	22
Annex C (informative) Illustration of the collaboration of different responsibilities in the extended product approach .....	23
Bibliography .....	24

## Foreword

This document (EN 50598-1:2014) has been prepared by CLC/TC 22X "Power electronics".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-11-17
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2017-11-17

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

EN 50598, *Ecodesign for power drive systems, motor starters, power electronics & their driven applications*, will consist of the following parts:

- *Part 1: General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA), and semi analytical model (SAM);*
- *Part 2: Energy efficiency indicators for power drive systems and motor starters;*
- *Part 3: Quantitative ecodesign approach through life cycle assessment including product category rules and the content of environmental declarations.*

The CLC/TC 22X/WG 06 is the enabled task force for dealing with the Mandate M/476 from European Commission for the standardization in the field of variable speed drives and/or power drive system products.

It has been set a close collaboration with several other technical committees (i.e. CLC/TC 2; CLC/TC 17B) in order to provide a comprehensive standard for energy efficiency aspects and ecodesign requirements together with a pilot stakeholder committee CEN/TC 197 from the customers side.

Key points:

- Requirements on the content of semi analytical models for motor system driven equipment;
- Requirements how to use them in the extended product approach.

The content could be of interest for the following technical committees CLC/TC 59X, CLC/TC 111X, CEN/TC 44, CEN/TC 113, CEN/TC 121, CEN/TC 123, CEN/TC 142, CEN/TC 143, CEN/TC 156, CEN/TC 228, CEN/TC 232 and CEN/TC 299.

It is the intention of the working group that this document, once finalized as European standard series, will be further processed to an international consensus in IEC and ISO.

## Introduction

The Technical Committee CLC/TC 22X has circulated at 2010-03-31 the document CLC/TC 22X/Sec0100/DC document including the mandate M/476 from European Commission for standardization in the field of variable speed drives and/or power drive system products.


As the PDS contains converter driven motors, the requirements for measuring of the energy efficiency of motors with non-sinusoidal supply is under the responsibility of CLC/TC2 covering the requirement from Mandate M/470.

The document is based on the CENELEC technical board document referenced BT137/DG8058/INF also reproducing this EC-mandate.

The CLC/TC 22X/WG 06 as being the standardization task force for dealing with this Mandate has close collaboration with several other technical committees (i.e. CLC/TC 2; CLC/TC 17B).

Therefore CLC/TC 22X committee has been enabled responsible to clarify all relevant aspects in the field of energy efficiency and ecodesign requirements for power electronics, switchgear, control gear, and power drive systems and their industrial applications.

The sometimes controversial requirements are illustrated in Figure 1. The work has been agreed to provide the reasonable target as a best compromise.



**Figure 1 — Illustration of controversial requirements for the energy related product (ErP) standardization**

EN 50598 is developed under the CENELEC projects number 24602 to 24604 for compliance with requirements from the horizontal mandate M/495.

Its three parts are together directly related to the mandates M/470 and M/476.

For the other mandates listed in Table 1, this standard could be applied if the future product standards developed will make reference to it.

**Table 1 — Mandates of the European Commission given to CEN, CENELEC and ETSI and how they are contributed by these standard series parts**

<b>Mandates</b>	<b>Part 1</b>	<b>Part 2</b>	<b>Part 3</b>
<b>M/470</b> Motors		✓	✓
<b>M/476</b> PDS		✓	✓
<b>M/495</b> Horizontal all future Applications	✓	✓	✓
<b>M/488</b> HVAC comfort fans	✓	✓	(✓)
<b>M/498</b> Pumps	✓	✓	(✓)
<b>M/500</b> Compressors	✓	✓	(✓)

## 1 Scope

This European Standard provides a general methodology to energy efficiency standardization for any extended product including a motor system by using the methodological guidance of the extended product approach (EPA).

It enables product committees for driven equipment with included motor systems to interact with the relative power losses of the included motor system (e.g. PDS) in order to determine the system energy efficiency aspects for the extended product by calculation.

This should be based on specified calculation models for speed/load profiles, the duty profiles and relative power losses of appropriate torque versus speed operating points.

This part of the EN 50598 series specifies the methodology of determination of losses of the extended product including a motor system and its sub-parts.

This framework is explained by an example for pumps.

This part of the standard does not specify requirements for environmental impact declarations.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50598-2, *Ecodesign for power drive systems, motor starters, power electronics & their driven applications — Part 2: Energy efficiency indicators for power drive systems and motor starters*

IEC 60050-161, *International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility*

## 3 Terms, definitions, symbols, units and abbreviated terms

For the purposes of this document, the terms and definitions given in IEC 60050-161 and the following apply.

### 3.1

#### Energy Efficiency Index

EEI

value describing an energy efficiency aspect of an application, resulting from the extended product approach (EPA)

Note 1 to entry: If the extended product is a pump system, the EEI is the ratio of the input power to the theoretical reference power required for the application.

### 3.2

#### Extended Product

EP

driven equipment together with its included motor system (e.g. a PDS, a motor starter)

Note 1 to entry: See Figure 2.



This is a free preview. Purchase the entire publication at the link below:

## **I.S. EN 50598-1 : 2014 : EN : COMBINED PDF**

- 
- ⊙ Looking for additional Standards? Visit SAI Global Infostore
  - ⊙ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
- 

Need to speak with a Customer Service Representative - Contact Us